



WEST BENGAL STATE UNIVERSITY

B.Sc. Honours 6th Semester Examination, 2022

MTMADSE05T-MATHEMATICS (DSE3/4)

Time Allotted: 2 Hours

Full Marks: 50

*The figures in the margin indicate full marks.
Candidates should answer in their own words and adhere to the word limit as practicable.
All symbols are of usual significance.*

Answer Question No. 1 and any *five* from the rest

1. Answer any *five* questions from the following: 2×5 = 10

(a) Give an example of an order preserving map between two ordered sets.

(b) In any lattice L , prove that


$$x \wedge (y \vee z) \geq (x \wedge y) \vee (x \wedge z),$$

for all $x, y, z \in L$.

(c) Use a Karnaugh-map to find the minimized sum-of-product Boolean expression of the Boolean expression

$$xyz + xyz' + xy'z' + x'yz + x'yz'.$$

(d) Write down the Boolean expression that represents the following logic-circuit.



(e) On the alphabet $\Sigma = \{0, 1\}$, show that

$$1^*0 + 1^*0(\lambda + 0 + 1)^*(\lambda + 0 + 1) = 1^*0(0 + 1)^*$$

where λ is the empty string over Σ .

(f) Give state diagram of a DFA recognizing the following language over the alphabet $\{0, 1\} : \{w \mid w \text{ is string except } 11 \text{ and } 111\}$.


(g) Draw a derivation tree that yields $a^4 \in L(G)$, where $G = (\{s\}, \{a, b\}, S, P)$ is a context-free grammar with $P = \{S \rightarrow ss, S \rightarrow a\}$.

(h) Can a Turing machine contain just a single state? Give reasons.

2. (a) Define maximal and minimal elements in a poset. 1

(b) Show that any finite nonempty subset X of a poset has minimal and maximal elements. 2

- (c) Let $(P, \leq)$ be a finite poset. Show that the order $\leq$ can always be extended to a total order $\leq$ on P , in the sense that, for all $x, y \in P$, $x \leq y \Rightarrow x \leq y$. 2
- (d) Using the result stated in (c), determine two total ordering relations on the set of positive divisors of 36 into which the order of the poset D_{36} of divisors of 36 can be extended. 3
3. (a) For two lattices L and K , prove that a mapping $\phi: L \rightarrow K$ is a lattice isomorphism if only if ϕ is an order isomorphism. 4
- (b) In any lattice L , prove that the following identities are equivalent: 2
- (i) $x \wedge (y \vee z) = (x \wedge y) \vee (x \wedge z)$, $\forall x, y, z \in L$
- (ii) $a \vee (b \wedge c) = (a \vee b) \wedge (a \vee c)$, $\forall a, b, c \in L$.
- (c) The Hasse diagram given below represents a lattice: 2




Is this lattice distributive? Justify your answer with proper reason.

4. (a) Define a modular lattice. 1
- (b) Show that every distributive lattice is modular. 1
- (c) Draw the Hasse diagram for a pentagon N_5 of five elements. Show that the lattice N_5 is non-modular. 3
- (d) Let L be a lattice such that none of its sublattices is isomorphic to a pentagon. Prove that L is a modular lattice. 3
5. (a) Find the essential prime implicants of the Boolean function $f(A, B, C, D) = \sum m(1, 5, 6, 12, 13, 14)$. Hence find the minimal expression for $f(A, B, C, D)$ by using Quine-McClusky method. 3+3
- (b) Find the Boolean expression in CNF which generates the following truth function: 2

x_1	x_2	x_3	$f(x_1, x_2, x_3)$
1	1	1	0
1	1	0	1
1	0	1	0
1	0	0	1
0	1	1	1
0	1	0	1
0	0	1	0
0	0	0	1

6. (a) Let $R \subseteq \Sigma^*$ and $\lambda \notin R$; where λ is the empty string. For any $S \subseteq \Sigma^*$, prove that $S = SR$ if and only if $S = \phi$. 2+2
- (b) Consider the binary alphabet $\Sigma = \{0, 1\}$. Determine the regular expression for the language recognized by the DFA, M whose transition graph is as follows: 4



7. (a) Use the pumping lemma for context free languages to show that the language $B = \{a^n b^n c^n \mid n \geq 0\}$ is not context-free. 4
- (b) Let $M = (S, \Sigma, \delta, q_0, F)$ be a non-deterministic finite automaton, in which $S = \{q_0, q_1, q_2\}$, $\Sigma = \{0, 1\}$, $F = \{q_2\}$ and the transition function δ is given by the following transition table: 4

δ	0	1
$\rightarrow q_0$	$\{q_0\}$	$\{q_0, q_1\}$
q_1	ϕ	$\{q_2\}$
$\odot q_2$	ϕ	ϕ

Construct a three-state DFA, M_1 equivalent to NFA, M . Also draw the transition graph of the DFA, M_1 .

8. (a) Define Chomsky normal form of context-free grammar. 1
- (b) Transform the grammar with productions 3
- $$S \rightarrow aSaaA \mid A$$
- $$A \rightarrow abA \mid bb$$
- into Chomsky normal form.
- (c) Let L_1 be a context-free language and L_2 be a regular language. Prove that $L_1 \cap L_2$ is a context-free language. 4
9. Show that the collection of (Turing) decidable languages is closed under the operation of 2+2+2+2
- union
 - concatenation
 - star
 - complementation.

N.B. : Students have to complete submission of their Answer Scripts through E-mail / Whatsapp to their own respective colleges on the same day / date of examination within 1 hour after end of exam. University / College authorities will not be held responsible for wrong submission (at in proper address). Students are strongly advised not to submit multiple copies of the same answer script.

—x—